# HP DesignJet Z6 PostScript® Printer series



High-definition prints, fast and secure. More quality with fewer inks.



## PRECISE—Clearly distinguish subtle details

- Read details more clearly and see high-contrast colour with new high-definition HP printheads.
- No need for light inks with HP's dual drop technology.
- Get smooth gradients, even for challenging colour combinations, with HP Pixel Control.
- Work with water- and fade-resistant prints, indoors and out, with HP Vivid Photo Inks <sup>1</sup>

## FAST—Work without delays

- Handle even the most complex files with powerful processing architecture and the Adobe PDF Print Engine.<sup>2</sup>
- Cut maps to different sizes in fewer steps with the first printer including an integrated vertical trimmer.<sup>3</sup>
- Print up to 20% faster<sup>4</sup> with 2400 nozzle-perinch, high-definition HP printheads.
- Spend less time on media changes and adjustments with dual roll support and automatic roll switching.<sup>3</sup>

## SECURE—Protect your work and your information

- Protect printers/data from unauthorized access with HP Secure Boot, whitelisting, and encrypted hard disk
- Protect documents, preserve confidentiality with authentication solutions like PIN printing, card readers.<sup>5</sup>
- Secure your printers with HP JetAdvantage Security Manager; manage your fleet remotely with HP Web Jetadmin.

### For more information, please visit http://www.hp.com/go/designjetZ6

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds

<sup>&</sup>lt;sup>1</sup> Performance may vary based on writing system differences. Print permanence estimates by HP Image Permanence Lab based on the same formulation of HP Vivid Photo Inks used with the HP Designlet Z6200 Photo Production Printer, using 6 inks. Water resistance performance varies based on printer and print profile. Water resistance testing by HP Image Permanence Lab on a range of HP media and follows ISO 18935 method. Display permanence rating for interior displays/away from direct sunlight by HP Image Permanence Lab on a range of HP media. For more information, see http://www.HPLFMedia.com/printpermanence

The Adobe PDF Print Engine (APPE) is Adobe's high speed, high speed, high fidelity print platform. Version 4 extends APPE's leading edge for print reproduction with new performance efficiencies and breakthrough rendering features. APPE 4 enables printers to increase workflow efficiency and capitalize on the profit potential of innovations in inkjet print technology. To learn more, visit https://www.adobe.com/products/pdfprintengine.html

<sup>&</sup>lt;sup>3</sup> Vertical trimmer and dual rolls included with the HP DesignJet Z6dr 44-in PostScript® Printer with V-Trimmer only.

<sup>4</sup> Based on internal HP testing. Up to 20% faster printing compared to the HP DesignJet Z2600 PostScript® Printer and HP DesignJet Z5600 PostScript® Printer. May vary depending on print mode and media type.

<sup>&</sup>lt;sup>5</sup> Card reader functionality enabled through optional third-party solutions.

## **Technical specifications**

Print		
Print speed	Fast: 80.5 m²/hr on plain media Normal: 18.8 m²/hr on coated media Best: 9.7 m²/hr on glossy media¹	
Print resolution	Up to 2400 x 1200 optimised dpi	
Technology	HP Thermal Inkjet	
Margins	Roll: $5 \times 5 \times 5 \times 5$ mm (borderless on selected media <sup>3</sup> ) Sheet: $5 \times 17 \times 5 \times 5$ mm	
Ink types	Pigment-based	
Ink drop	7/3 pl dual-drop weight (M, C, PK); 6 pl single-drop weight (Y, CR, MK)	
Printheads	3 universal printheads (valid for all colours)	
Printhead nozzles	2112 per colour; 12,672 in total	
Line accuracy	±0.1% <sup>5</sup>	
Minimum line width	0.02 mm (PDF addressable @ 1200 dpi)	
Short-term color stability	< 1 dE2000 in less than 5 minutes <sup>7</sup>	
Long-term print-to-print repeatability	Average < 0.5 dE2000, 95% of colours < 1.4 dE2000 <sup>7</sup>	
Max optical density	4 L* min/2.5 D <sup>7</sup>	
Media		
Handling	Roll feed, rear sheet feed, media output bin, automatic horizontal cutter	
Roll size	279 to 1118-mm	
Maximum roll diameter	135 mm	
Sheet size	210 x 279 to 1118 x 1676 mm	
Standard sheets	A4, A3, A2, A1, A0	
Grammage	80 to 500 g/m²	
Thickness	Up to 0.8 mm	
Applications	Banners; Exhibition and event graphics; Light boxes - film; Maps; Orthophotos; Point of sale/display; Posters	
Memory	128 GB (virtual) <sup>8</sup>	
Hard disk	500 GB self-encrypting	
Connectivity	· · · · · · · · · · · · · · · · · · ·	
Interfaces	Gigabit Ethernet (1000Base-T) (802.3, 802.3u, 802.3ab); Hi-Speed USB 2.0 certified interface for direct printing from USB flash drive	
Native print languages	Adobe PostScript 3, Adobe PDF 1.7, TIFF, JPEG, CALS G4, HP-GL/2, HP-RTL	
Printing paths	Apple AirPrint, direct printing from USB flash drive, email printing, HP Click, HP driver for macOS, HP driver for Windows, HP driver for Linux, printing support for Chrome OS, HP Print Service Plugin for Android, HP Smart app for iOS and Android, HP SmartSream	
Drivers	Raster and PostScript drivers for Windows and macOS PDF driver for Windows 8 and above	
Security features	HP Secure Boot, Whitelisting, Role Based Access Control, SNMPv3, HTTPS, Secure-IPP, IPsec/Firewall, Certificates management, 802.1X, TLS 1.0/1.1/1.2, HP Web Jetadmin compatible, HP JetAdvantage Security Manager compatible, Secure Disk erase (DOD 5220.22-M), Secure Tile erase, self-encrypted HDD, PIM printing	
Dimensions (W x D x H)		
Printer	1802 x 695 x 998 mm	
Shipping	1950 x 766 x 718 mm	
Weight		
Printer	86 kg	
Shipping	123 kg	
What's in the box	HP Design.Jet Z6 PostScript Printer, printheads, introductory ink cartridges, printer stand and media bin, spindle, 3-in core adapter, quick reference guide, setup poster, power cord	
HP Software and solutions	HP Click printing software, HP PrintOS, HP Web Jetadmin, HP DesignJet Utility including HP Color Center, HP Partner Link, HP JetAdvantage Security Manager (optional), HP SmartStream (optional), HP SmartTracker (optional)	
Environmental ranges		
Operating temperature	5 to 40°C	
Operating humidity	20 to 80% RH	
Storage temperature	-25 to 55°C	
Acoustics		
Sound pressure	42 dB(A) (operating), 33 dB(A) (idle), <16 dB(A) (sleep)	
Sound power	6.0 B(A) (operating), 5.1 B(A) (idle), <3.4 B(A) (sleep)	
Power		
Consumption	<100 W (printing); <32 W (ready); <6.5 W (sleep); 0.1 W (off)	
Requirements	Input voltage (auto ranging): 100-240 V (±10%), 50/60 Hz (±3 Hz), 2 A max	

#### Certification

Safety	USA and Canada (CSA certified); EU (LVD and EN 60950-1 compliant); Russia, Belarus, Khazakstan (EAC); Singapore (PSB); China (CCC); Argentina (IRAM); India (BIS)	
Electromagnetic	Compliant with Class B requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI), Korea (KCC), South Africa (SABS)	
Environmental	ENERGY STAR; ErP; WEEE; RoHS (EU, China, Korea, India); REACH; EPEAT	
Warranty	ty One-year limited hardware warranty	

## **Ordering information**

HP DesignJet Z6 44-in PostScript Printer

Accessories		
1QF38A 5EK00A	HP DesignJet 44-in Take-up Reel HP HD Pro 2 42-in Scanner	
5EK01A	HP SD Pro 2 44-in Scanner	
8SW00A	HP SmartStream USB Preflight Manager	
8SW00AAE	HP SmartStream Preflight Manager	
8SW01A	HP SmartStream Print Controller USB for HP DesignJet Printers	
8SW01AAE	HP SmartStream Print Controller for HP DesignJet Printers	
8SW11A	HP SmartTracker USB for DesignJet	
8SW11AAE	HP SmartTracker for DesignJet	
CN538A	HP DesignJet 3-in Core Adapter	
CQ783A	HP DesignJet 24-in Spindle	
06709A	HP DesignJet 44-in Spindle	

#### Original HP printing supplies

P2V25A	HP 746 DesignJet Printhead
P2V78A	HP 746 300-ml Magenta DesignJet Ink Cartridge
P2V79A	HP 746 300-ml Yellow DesignJet Ink Cartridge
P2V80A	HP 746 300-ml Cyan DesignJet Ink Cartridge
P2V81A	HP 746 300-ml Chromatic Red DesignJet Ink Cartridge
P2V82A	HP 746 300-ml Photo Black DesignJet Ink Cartridge
P2V83A	HP 746 300-ml Matte Black DesignJet Ink Cartridge

Use Original HP inks and printheads, and HP large format printing materials, to experience consistent high quality and reliable performance that enable less downtime. These critical components are designed and engineered together as an optimized printing system, and Original HP inks are designed to maximize the life of HP printheads. Protect your HP printer investment by using Original HP inks for full HP warranty protection. For more information, visit https://hp.com/go/OriginalHPinks

### Original HP large format printing materials

Q6581A HP Universal Instant-dry Satin Photo Paper (FSC® certified)<sup>10</sup> (Recyclable)<sup>11</sup> 1067 mm x 30.5 m (42 in x 100 ft)

E4JS7A HP Artist Matte Carvas 1118 mm x 15.2 m (44 in x 50 ft)
C6569C HP Heavyweight Coated Paper (FSC® certified) 10 (Recyclable) 11 1067 mm x 30.5 m (42 in x 100 ft)

. W. CH025A HP Everyday Matte Polypropylene, 2 Pack (Recyclable)  $^{11}$  1067 mm x 30.5 m (42 in x 100 ft) CG460B HP Premium Matte Photo Paper (FSC\* certified)  $^{10}$  (Recyclable)  $^{11}$  914 mm x 30.5 m (36 in x 100 ft)

For the entire HP Large Format Printing Materials portfolio, please see HPLFMedia.com.

#### Service and Support

U9YZ1E HP 3 year Next Business Day plus Defective Media Retention Support
U9YZ3E HP 5 year Next Business Day plus Defective Media Retention Support
U9YZ4PE HP 1 year Post Warranty, Next Business Day plus Defective Media Retention Support
H4518E HP Network Installation Service with Network Setup

HP Support Services offer installation and extended support services (e.g. 2, 3, 4, and 5 years). For more information, please visit http://www.hp.com/go/cpc

1 Maximum rate of output for colour image 100% colour coverage. Printed on maximum roll size, with Original HP Vivid Photo Inks.
2 Mechanical printing time with Original HP Vivid Photo Inks.
3 Borderless printing available on photo gloss, photo satin, polypropylene, and backlit roll media.
5 ±0.1% of the specified vector length or ±0.2 mm (whichever greater) at 23°C, 50-60% relative humidity, on AD IP Matte Film in Best or Normal mode with HP Vivid Photo Inks.
6 Measured on HP Matte Film.
8 Paradned (CR) PM.

<sup>8</sup> Based on 4 GB RAM.

Based on 4 GB RAM.
19 BMC trademark license code FSC®-C115319, see http://www.fsc.org, HP trademark license code FSC®-C017543, see http://www.fsc.org. Not all FSC®-certified products are available in all regions.
1 Recyclable HP papers can be recycled through commonly available recycling programs, or according to region-specific practices, or can be returned through the HP Large Format Media take-back program Recycling programs may not exist in your area. See http://www.HPLFMedia.com/hp/ecosolutions for detail.





















